

UNITED STATES PATENT AND TRADEMARK OFFICE  
DOCUMENT CLASSIFICATION BARCODE SHEET

---



CATEGORY:

CLEARED

---


ADDRESS  
CONTACT IF FOUND:

09/ 6736 47

525 Rec'd PCT/PTO 31 OCT 2000

FORM PTO-1390 (Modified) (REV 5-93)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER	
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				016886/0179	
		U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.5) Unassigned			
INTERNATIONAL APPLICATION NO. PCT/JP00/01369		INTERNATIONAL FILING DATE 7/March/2000		PRIORITY DATE CLAIMED 10/March/1999	
TITLE OF INVENTION <b>MOBILE TURRET SYSTEM</b>					
APPLICANT(S) FOR DO/EO/US Katsushi NIHEI, Yasuyuki KOKUBUN and Oliver NAGASE					
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:					
1.	<input checked="" type="checkbox"/>	This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.			
2.	<input type="checkbox"/>	This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.			
3.	<input checked="" type="checkbox"/>	This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).			
4.	<input type="checkbox"/>	A proper Demand for International Preliminary Examination was made by the 19 <sup>th</sup> month from the earliest claimed priority date.			
5.	<input checked="" type="checkbox"/>	A copy of the International Application as filed (35 U.S.C. 371(c)(2)) <input type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau). <input checked="" type="checkbox"/> has been transmitted by the International Bureau. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US)			
6.	<input checked="" type="checkbox"/>	A copy of the translation of the International Application into English (35 U.S.C. 371(c)(2)).			
7.	<input checked="" type="checkbox"/>	Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau). <input type="checkbox"/> have been transmitted by the International Bureau. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. <input checked="" type="checkbox"/> have not been made and will not be made.			
8.	<input type="checkbox"/>	A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).			
9.	<input checked="" type="checkbox"/>	An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).			
10.	<input type="checkbox"/>	A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).			
Items 11. to 16. below concern other document(s) or information included:					
11.	<input type="checkbox"/>	An Information Disclosure Statement under 37 CFR 1.97 and 1.98.			
12.	<input checked="" type="checkbox"/>	An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.			
13.	<input checked="" type="checkbox"/>	A FIRST preliminary amendment. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment.			
14.	<input type="checkbox"/>	A substitute specification.			
15.	<input type="checkbox"/>	A change of power of attorney and/or address letter.			
16.	<input type="checkbox"/>	Other items or information:			

526 Rec'd PCT/PTO 31 OCT 2000

U.S. APPLICATION NO. (if known), see 37 CFR 1.50 <b>Unassigned 09/673647</b>		INTERNATIONAL APPLICATION NO. <b>PCT/JP00/01369</b>		ATTORNEY'S DOCKET NUMBER <b>016886/0179</b>	
17. <input checked="" type="checkbox"/> The following fees are submitted:				<b>CALCULATIONS</b>	
Basic National Fee (37 CFR 1.492(a)(1)-(5): Search Report has been prepared by the EPO or JPO.....\$860.00					
International preliminary examination fee paid to USPTO (37 CFR 1.482).....\$690.00					
No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37 CFR 1.445(a)(2)) .....\$710.00					
Neither international preliminary examination fee (37 CFR 1.482) nor International search fee (37 CFR 1.445(a)(2)) paid to USPTO ..... \$1,000.00					
International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4) .....\$100.00					
<b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b>				<b>\$860.00</b>	
Surcharge of \$130.00 for furnishing the oath or declaration later than 20 Months from the earliest claimed priority date (37 CFR 1.492(e))					
Claims	Number Filed	Included in Basic Fee	Extra Claims	Rate	
Total Claims	4	- 20	= 0	× \$18.00	\$0.00
Independent Claims	1	- 3	= 0	× \$80.00	\$0.00
Multiple dependent claim(s) (if applicable)				\$270.00	
<b>TOTAL OF ABOVE CALCULATIONS =</b>				<b>\$860.00</b>	
Reduction by ½ for filing by small entity, if applicable. Verified Small Entity statement must also be filed. (Note 37 CFR 1.9, 1.27, 1.28).				\$0.00	
<b>SUBTOTAL =</b>				<b>\$860.00</b>	
Processing fee of \$130.00 for furnishing English translation later the 20 months from the earliest claimed priority date (37 CFR 1.492(f). +					
<b>TOTAL NATIONAL FEE =</b>				<b>\$860.00</b>	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +				\$40.00	
<b>TOTAL FEES ENCLOSED =</b>				<b>\$900.00</b>	
				Amount to be: refunded \$	
				charged \$	
<p>a. <input checked="" type="checkbox"/> A check in the amount of <b>\$900.00</b> to cover the above fees is enclosed.</p> <p>b. <input type="checkbox"/> Please charge my Deposit Account No. <u>19-0741</u> in the amount of \$0.00 to the above fees. A duplicate copy of this sheet is enclosed.</p> <p>c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>19-0741</u>. A duplicate copy of this sheet is enclosed.</p>					
<p>NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.</p>					
<p>SEND ALL CORRESPONDENCE TO:</p> <p>Foley &amp; Lardner Washington Harbour 3000 K Street, N.W., Suite 500 Washington, D.C. 20007-5109 <b>October 31, 2000</b></p>					
<p> 34371</p> <p>SIGNATURE <u>Glenn Law</u></p> <p>NAME <u>RICHARD L. SCHWAAB</u></p> <p>REGISTRATION NUMBER 25,479</p>					

***IN THE UNITED STATES PATENT AND TRADEMARK OFFICE***

Applicant: Katsushi NIHEI et al.  
Title: MOBILE TURRET SYSTEM  
Appl. No.: Unassigned  
Filing Date: October 31, 2000  
Examiner: Unassigned  
Art Unit: Unassigned

**PRELIMINARY AMENDMENT**

Commissioner for Patents  
Washington, D.C. 20231

Sir:

Prior to examination of the present Application, Applicants respectfully request that the above-identified application be amended as follows:

**IN THE CLAIMS:**

Claim 3, line 1, delete "or 2".

Please add the new claim:

--4. A mobile turret system according to claim 2, wherein said mobile turret system performs control (operation system) of a virtual turret and/or control (voice system) of a CTI device by means of connection and control by remote computing.--

**REMARKS**


Applicants respectfully request that the foregoing amendment to claim 3 and the new claim 4, be entered in order to avoid this application incurring a surcharge for the presence of one or more multiple dependent claims.

Respectfully submitted,

Date October 31, 2000

FOLEY & LARDNER  
Washington Harbour  
3000 K Street, N.W., Suite 500  
Washington, D.C. 20007-5109  
Telephone: (202) 672-5414  
Facsimile: (202) 672-5399

By

  
Richard L. Schwaab  
Attorney for Applicant  
Registration No. 25,479

002.404088.1

16/PRFS

09/673647  
526 Rec'd PCT/FTO 31 OCT 2000

## MOBILE TURRET SYSTEM

### BACKGROUND OF THE INVENTION

#### 1. Field of the Invention (TECHNICAL FIELD)

The present invention relates to a mobile turret system applied to a dealing communication system to be used for performing a financial transaction in a financial institution such as a bank, a securities company and the like. Describing in more detail, the present invention relates to a mobile turret system which connects itself by remote computing to a communication terminal primarily composed of a general-purpose personal computer introduced in recent years (communication stand; hereinafter referred to as a virtual turret), and controls an operation system of the virtual turret and a voice system of a CTI (computer telephony integration) device.

#### 2. Related Art (BACKGROUND ART)

Up to now, a mobile turret system has been used as communication terminal equipment in a dealing communication system, for example. Such communication terminal equipment in a dealing communication system has used dedicated communication terminal equipment and dedicated operating software.

However, a mobile turret system shown in the above-mentioned conventional example brings a problem that it is not possible to harmonize and make the respective communication terminals cooperate with one another by means of connection by remote computing which is a feature of it, and to provide to a user an environment which makes the user feel as if he/she is seated at a communication terminal equipment when he/she is distant from the communication terminal equipment.

An object of the present invention is to provide a mobile turret system to provide such an environment of higher fidelity that makes a user feel as if he/she operates and converses as being actually seated at a virtual turret.

### SUMMARY OF THE INVENTION (DISCLOSURE OF THE INVENTION)

In order to attain such an object, a mobile turret system of the present invention is characterized by connecting a virtual turret side primarily composed of a general-purpose personal computer and a mobile turret side composed of a computer other than the virtual turret in a dealing communication system to each other by means of remote computing, and controlling the virtual turret so as to make a user feel as if he/she operates as being actually seated at the virtual turret by operating the mobile turret.

And the above-mentioned connection by remote computing may adopt a method comprising either one of a telephone line connection, a network connection and a cable connection.

Further, the above-mentioned mobile turret system may perform control of a virtual turret (operation system) and/or control of a CTI device (voice system) by means of connection and control by remote computing.

According to a mobile turret system of the present invention, it is possible to perform operation of a control system of a virtual turret and control of a voice system of a CTI device from a mobile turret system by using a general-purpose operating software on the virtual turret composed on the basis of a general-purpose personal computer and using connection by remote computing and mobile

09673647 31 OCT 2000

computing, by a fact that the virtual turret side and the mobile turret side are connected to each other by remote computing.

Therefore, it is possible to provide to a mobile turret system user an environment, which makes the user feel as if he/she operates and converses as being seated at a virtual turret.

#### BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a composition example of a mobile turret system (telephone line connection) remote computing system which an embodiment of a mobile turret system of the present invention is applied to.

Figure 2 shows a composition example of a mobile turret system (telephone line connection) remote computing-virtual turret system.

Figure 3 shows a composition example of a mobile turret system (telephone line connection) remote computing-mobile turret system.

Figure 4 shows a composition example of a mobile turret system (network connection) remote computing system.

Figure 5 shows a composition example of a mobile turret system (cable connection) remote computing system.

Figure 6 shows a virtual turret idling screen.

Figure 7 shows a mobile turret system flow chart 1.

Figure 8 shows a mobile turret remote computing system-initiating screen.

Figure 9 shows a mobile turret-virtual turret remote computing connection screen.

Figure 10 shows a mobile turret voice line connection screen.

Figure 11 shows a mobile turret-virtual turret specifying communication screen.

Figure 12 shows a mobile turret-virtual turret TEN-KEY communication screen.

Figure 13 shows a mobile turret system flow chart 2.

Figure 14 shows a mobile turret system flow chart 3.

Figure 15 shows a mobile turret system communication end screen.

Figure 16 shows a mobile turret system remote computing end screen.

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS (BEST MODE FOR CARRYING OUT THE INVENTION)

An embodiment of a mobile turret system according to the present invention is described in detail with reference to the accompanying drawings in the following. Referring to Figure 1, an embodiment of a mobile turret system of the present invention is shown.

Figure 1 shows a composition example of a mobile turret system (telephone line connection) remote computing system, Figure 2 shows a composition example of a mobile turret system (telephone line connection) remote computing-virtual turret, Figure 3 shows a composition example of a mobile turret system (telephone line connection) remote computing-mobile turret, Figure 4 shows a composition example of a mobile turret system (network connection) remote computing system, and Figure 5 shows a composition example of a mobile turret system (cable connection) remote computing system.

A mobile turret system, as shown in Figures 1, 4 and 5, is a system in which a virtual turret side 1 composed of a host computer and a mobile turret side 2 composed of another computer of a client are connected to each other by means of

remote computing. This system can make a client perform a control combined with a voice communication from a mobile turret so that he/she feels as if he/she is seated at and operates actually a host computer 11 as its applicable virtual turret.

As shown in Figures 1, 4 and 5, as a connection method for performing a remote computing operation, there are a telephone line connection, a network connection, a cable connection and the like. A method for using as a composition example a mobile turret system using a voice communication, connected by remote computing by means of a telephone line connection, which is called a public network 3, as shown in Figures 1, 2 and 3 is described. First, a composition example of each component of a mobile turret system and conditions for using it are described below.

(Composition example of a mobile turret system-virtual turret system)

A virtual turret is communication terminal equipment (simply called a "communication stand" also) of a dealing communication system used for performing a financial transaction in a financial institution such as a bank, a securities company and the like, as described above. The virtual turret is typically a communication stand of a dealing system based on a general-purpose personal computer and a general-purpose operating system.

An LCU (line control unit) to control this virtual turret is a line control unit. A virtual turret and an LCU are connected to each other through a dealing communication stand line circuit (connection C in Figure 1). Beyond the LCU, which is a line control unit (connection D in Figure 1), it is connected to the opposite party through various lines such as a public network, a PBX station, a broker line, a hot line and the like. An example of requirements for a more concrete composition of a virtual turret based on Figures 1 and 2 is enumerated in the following.

- \* A general-purpose personal computer is used.
- \* An environment in which a modem is connected and operable is composed.
- \* An environment in which a dealing communication stand application device forming a virtual turret and a dealing communication stand application software is provided and are operable is composed.
- \* An environment in which a CTI application device is provided and is operable is composed. The CTI application device is provided with a keyboard having a telephone function built in it and connects connection A, a handset A and line C to one another (see Figure 1). And a virtual turret is provided with CTI application software, and the virtual turret and the CTI application device operate in conjunction with each other.
- \* An environment in which a general-purpose remote computing application software is provided and can operate in a host state on the virtual turret is composed.
- \* An environment in which a mouse or a device corresponding to it is operable is composed.
- \* Two telephone lines are used (lines C and D in Figure 1).

Two telephone lines are used as a mobile turret system-virtual turret. In detail, the two lines are a circuit for performing a remote computing operation from a virtual turret through a modem, and a circuit for connecting to a CTI application device and performing a voice communication.

An example of composition requirements for a mobile turret system-mobile turret based on Figures 1 and 3 is enumerated in the following.



- \* A general-purpose notebook-sized personal computer is used.
- \* An environment in which a modem is connected and operable is composed.
- \* An environment in which a general-purpose remote computing application software is installed and can operate in a client state is composed.
- \* An environment in which a mouse or a device corresponding to it is operable is composed.
- \* A general-purpose telephone is used.
- \* Two telephone lines are used (lines A and B in Figure 1).

Two telephone lines are used as a mobile turret system-mobile turret. In detail, the two lines are a circuit for performing a remote computing operation by means of connection through a modem from a mobile turret, and a circuit for connecting to a CTI application device and performing a voice communication.

How to use a mobile turret system is described. First, it is confirmed that a virtual turret is in the following state.

- \* A virtual turret idles in an operable state.
- \* A remote computing application idles in a host state on a screen of a virtual turret.
- \* A CTI application device and CTI application software idle in an operable state.

The display of a virtual turret in the above-mentioned initial state has a screen composition as shown in a virtual turret idling screen of Figure 6.

A mobile turret system flow chart 1 is described with reference to Figure 7.

In step S1, a remote computing application is initiated in a client state on a mobile turret. In this case, a virtual turret is set as a host and a mobile turret is set as a client as shown in a mobile turret system remote computing initiation screen of Figure 8.

In step S2, a user accesses from the mobile turret the remote computing application waiting for a host state on the virtual turret. For this, as shown in Figure 8, the user displays a (client) remote computing application telephone number input window, inputs a telephone number for connecting line D, modem B and the virtual turret to one another shown in Figure 1, using a mouse and keyboard of the mobile turret, and then clicks the OK button by the mouse. In case of performing a wrong input, the user clicks the CANCEL (cancel) button and performs the above input operation again.

In step S3, a virtual turret screen is displayed on the mobile turret like a mobile turret-virtual turret remote computing connection screen shown in Figure 9. This state shows a state where modem A, line B, a public network, a PBX, line D and modem B are connected to one another in Figure 1, and operation by a remote computing connection is possible.

In step S4, the user dials the telephone number of a CTI application device through a telephone of Figure 1. As the result, a voice path from the telephone through line A, the public network, the PBX, line C, the CTI application device and connection A to the handset A comes into a connection state in Figure 1.

In step S5, in case that the line of a CTI application device has been specified in advance on a virtual turret, for example, in case of a CTI (CTI application device line specification) key, a called state indicator is lighted up and a CTI application window is displayed. Figure 10 shows a mobile turret voice line connection screen as a reference example.

In step S6, referring to Figure 10, "Connection" in the CTI application

window is clicked. As the result of this operation, a voice path from the telephone through line A, the public network, the PBX, line C, the CTI application device and connection A to the handset A comes into a connection state in Figure 1.

Steps S7 and S8 are performed referring to a mobile turret-virtual turret specified communication screen of Figure 11. First, in step S7, in case that the opposite parties beyond the virtual turret (handset B, virtual turret, connection C, LCU and connection D in Figure 1) are specified in advance by buttons A to F (Yes in step S7), the button corresponding to a relevant opposite party is clicked in step S8.

Further, steps S7 to S9 are performed referring to a mobile turret-virtual turret TEN-KEY communication screen of Figure 12. In case that the opposite parties beyond the virtual turret (handset B, virtual turret, connection C, LCU and connection D in Figure 1) are not specified (No in step S7), in step S9 the TEN-KEY window is displayed by clicking the TEN-KEY button in the virtual turret window, and a relevant telephone number is inputted.

In step S10, by the operations of the above-described steps S7 to S8 and steps S7 to S9, the telephone, line A, the public network, the PBX, line C, the CTI application device, connection A, handset A, handset B, connection B, the virtual turret, connection C, the LCU and connection D in Figure 1 are connected to one another, and it becomes possible to communicate with the opposite party from the mobile turret telephone through the virtual turret.

(Method in case of changing an opposite party beyond the virtual turret)

A mobile turret system flow chart 2 shown in Figure 13 is described in the following.

In step S11, after end of communication the RLS key in the virtual turret screen (see Figure 11) is clicked. This operation releases a voice connection of handset B, connection B, the virtual turret, connection C, the LCU, connection D and the like.

In steps S12 to S13, in case that the opposite party which the user intends to next communicate with is specified by one of the specifying buttons of the mobile turret (buttons A to F in Figure 11), the button corresponding to the relevant opposite party is clicked.

In steps S12 to S14, in case that the next opposite party has not been specified, the number of the relevant opposite party is inputted in the TEN-KEY window displayed by clicking the TEN-KEY button in the mobile turret screen (see Figure 12).

In step S15, a communication path is connected with the opposite party beyond the virtual turret by the above operation. In case of repeating the communication, the above-described operations of steps S11 to S14 are repeated.

(Method in case that the virtual turret is called by an opposite party)

In case that the virtual turret is called, since the virtual turret performs a called indication (blinks a line key), clicking the blinking line key makes it possible to communicate with the opposite party. In order to end the communication, the communication is ended by clicking the RLS (release) key.

(Method in case of ending a communication and a remote computing operation)

In Figure 14, a mobile turret system flow chart 3 is described. A communication end operation is performed using a mobile turret communication end screen of Figure 15.

In step S21, a CTI application window is displayed.

In step S22, the Disconnection button in the CTI application window is



connected to each other by remote computing.

Accordingly, by using a general-purpose operating software on a virtual turret based on a general-purpose personal computer, it is possible to perform operation of a control system of a virtual turret and control of a voice system of CTI device from a mobile turret system by means of connection by remote computing and mobile computing.

Therefore, it is possible to provide to a mobile turret system user an environment in which the user can feel as if he/she is actually performing operation and conversation being seated at a virtual turret.

Various kinds of connections by remote computing between a virtual turret and a mobile turret can include a telephone line connection, a network connection (WAN or LAN connection) and a cable connection, and it is possible to provide to a user a connection by remote computing, said connection being optimal to an environment where a mobile turret is used.

#### INDUSTRIAL APPLICABILITY

As described above, a mobile turret system according to the present invention is useful for a mobile turret system applied to a dealing communication system used for performing a financial transaction in a financial institution such as a bank, a securities company and the like, and is adaptive to providing an environment which makes it possible to give a user the same feeling of use as a feeling when being seated at a communication terminal when the user is distant from the communication terminal by attaining harmonious combination and cooperation between the respective apparatuses by means of connection by remote computing which this mobile turret system is characterized by.

WHAT IS CLAIMED IS:


1. A mobile turret system for connecting a virtual turret side composed on the basis of a general-purpose personal computer and a mobile turret side composed of a computer other than said virtual turret in a dealing communication system to each other by remote computing, and controlling said virtual turret by operating it through said mobile turret as if a user is seated at and operates the said virtual turret.
2. A mobile turret system according to claim 1, wherein said connection by remote computing comprises either one of a telephone line connection, a network connection and a cable connection.
3. A mobile turret system according to claim 1 or 2, wherein said mobile turret system performs control (operation system) of a virtual turret and/or control (voice system) of a CTI device by means of connection and control by remote computing.


[illegible]

- 9 -

1/16

FIG.1








3/16


FIG.3



2 MOBILE TURRET SIDE


4/16

FIG.4




5/16

FIG.5




6/16

FIG.6




7/16

FIG.7



8/16

FIG.8



9/16

FIG.9

VIRTUAL TURRET WINDOW									
A	B	C	D	E	F				
			CTI						
WORD									
EXCEL									
SPEAKER	MONI		TEN-KEY	VOLUME					
TRS	TOUCH ON	TOUCH	1998-03-27 18:15 No.5061						TRS
HOLD	REC-OFF		PO1	TITLE 01					HOLD
RLS		TITLE 01	TITLE 02	TITLE 03	TITLE 04	TITLE 05			RLS
VIRTUAL TURRET WINDOW (HOST) REMOTE COMPUTING						CTI APPLICATION WINDOW			
(CLIENT) REMOTE COMPUTING									

10/16  
FIG.10






FIG. 11

VIRTUAL TURRET WINDOW									
A	B	C	D	E	F				
			CTI						
WORD									
EXCEL									
SPEAKER	MONI		TEN-KEY	VOLUME					
TRS	TOUCH ON	TOUCH	1998-03-27 18:15 No. 5061						TRS
HOLD	REC-OFF		PO1 TITLE 01						HOLD
RLS		TITLE 01	TITLE 02	TITLE 03	TITLE 04	TITLE 05			RLS
VIRTUAL TURRET WINDOW (HOST) REMOTE COMPUTING CTI APPLICATION WINDOW									

(CLIENT) REMOTE COMPUTING

12/16

FIG.12

VIRTUAL TURRET WINDOW									
A	B	C	D	TEN-KEY WINDOW					
				1	2	3	LEFT		
			CTI	4	5	6	RIGHT		
				7	8	9			
WORD				*	0	#	CANCEL		
EXCEL									
SPEAKER	MONI		TEN-KEY VOLUME						
TRS	TOUCH ON	TOUCH	1998-03-27 18:15 TEL 123456			TRS			
HOLD	REC-OFF		P01	TITLE 01			HOLD		
RLS		TITLE 01	TITLE 02	TITLE 03	TITLE 04	TITLE 05	RLS		
VIRTUAL TURRET WINDOW (HOST) REMOTE COMPUTING CTI APPLICATION WINDOW									
(CLIENT) REMOTE COMPUTING									

13/16

FIG.13






FIG. 14

FIG. 15



16/16

FIG.16



**DECLARATION AND POWER OF ATTORNEY**

As a below named inventor, I HEREBY DECLARE:

THAT my residence, post office address, and citizenship are as stated below next to my name;

THAT I believe I am the original, first, and sole inventor (if only one inventor is named below) or an original, first, and joint inventor (if plural inventors are named below or in an attached Declaration) of the subject matter which is claimed and for which a patent is sought on the invention entitled

MOBILE TURRET SYSTEM

(Attorney Docket No. 016886/0179)

the specification of which (check one)

       is attached hereto.

  X   was filed on March 7, 2000 as United States Application Number or PCT International Application Number PCT/JP00/01369 and was amended on        (if applicable).

THAT I do not know and do not believe that the same invention was ever known or used by others in the United States of America, or was patented or described in any printed publication in any country, before I (we) invented it;

THAT I do not know and do not believe that the same invention was patented or described in any printed publication in any country, or in public use or on sale in the United States of America, for more than one year prior to the filing date of this United States application;

THAT I do not know and do not believe that the same invention was first patented or made the subject of an inventor's certificate that issued in any country foreign to the United States of America before the filing date of this United States application if the foreign application was filed by me (us), or by my (our) legal representatives or assigns, more than twelve months (six months for design patents) prior to the filing date of this United States application;

THAT I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment specifically referred to above;

THAT I believe that the above-identified specification contains a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the invention, and sets forth the best mode contemplated by me of carrying out the invention; and

THAT I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I HEREBY CLAIM foreign priority benefits under Title 35, United States Code § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below any foreign application for patent or inventor's certificate or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number	Country	Foreign Filing Date	Priority Claimed?	Certified Copy Attached?
11-62748	Japan	10 March 1999	Yes	

I HEREBY CLAIM the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below.

U.S. Provisional Application Number	Filing Date

I HEREBY CLAIM the benefit under Title 35, United States Code, § 120 of any United States application(s), or § 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application Number	PCT Parent Application Number	Parent Filing Date	Parent Patent Number

I HEREBY APPOINT the following registered attorneys and agents of the law firm of FOLEY & LARDNER to have full power to prosecute this application and any continuations, divisions, reissues, and reexaminations thereof, to receive the patent, and to transact all business in the United States Patent and Trademark Office connected therewith:

STEPHEN A. BENT	Reg. No. 29,768
DAVID A. BLUMENTHAL	Reg. No. 26,257
BETH A. BURROUS	Reg. No. 35,087
ALAN I. CANTOR	Reg. No. 28,163
WILLIAM T. ELLIS	Reg. No. 26,874
JOHN J. FELDHAUS	Reg. No. 28,822
PATRICIA D. GRANADOS	Reg. No. 33,683

24



JOHN P. ISACSON	Reg. No. 33,715
MICHAEL D. KAMINSKI	Reg. No. <del>32,904</del>
LYLE K. KIMMS	Reg. No. 34,079
KENNETH E. KROSIN	Reg. No. 25,735
JOHNNY A. KUMAR	Reg. No. <del>34,649</del>
GLENN LAW	Reg. No. 34,371
PETER G. MACK	Reg. No. 26,001
BRIAN J. MC NAMARA	Reg. No. 32,789
SYBIL MELOY	Reg. No. 22,749
RICHARD C. PEET	Reg. No. 35,792
GEORGE E. QUILLIN	Reg. No. 32,792
COLIN G. SANDERCOCK	Reg. No. 31,298
BERNHARD D. SAXE	Reg. No. 28,665
CHARLES F. SCHILL	Reg. No. 27,590
RICHARD L. SCHWAAB	Reg. No. 25,479
ARTHUR SCHWARTZ	Reg. No. 22,115
HAROLD C. WEGNER	Reg. No. 25,258


and I request that all correspondence be directed to:

Richard L. Schwaab  
**FOLEY & LARDNER**  
 Washington Harbour  
 3000 K Street, N.W., Suite 500  
 P.O. Box 25696  
 Washington, D.C. 20007-8696

Telephone: (202) 672-5300  
 Facsimile: (202) 672-5399

I UNDERSTAND AND AGREE THAT the foregoing attorneys and agents appointed by me to prosecute this application do not personally represent me or my legal interests, but instead represent the interests of the legal owner(s) of the invention described in this application.

I FURTHER DECLARE THAT all statements made herein of my own knowledge are true, and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Name of first inventor	<u>Katsushi NIHEI</u>
Residence	<u>Koriyama-shi, Japan</u>
Citizenship	<u>Japan</u>
Post Office Address	<u>c/o Hitachi Telecom Technologies, Ltd. , 94, Aza Funabamukai, Koriyama-shi, Fukushima, 963-8826 Japan</u>
Inventor's signature	<u>K. Nihei</u> 
Date	<u>00.09.07</u>

Name of second inventor

2-0  
Yasuyuki KOKUBUN

Residence

Koriyama-shi, Japan

Citizenship

Japan

Post Office Address

c/o Hitachi Telecom Technologies, Ltd., 94, Aza  
Funabamukai, Koriyama-shi, Fukushima, 963-8826 Japan

Inventor's signature

*Yasuyuki Kokubun*

*JPY*

Date

*Sep. 12, 2000*

Name of third inventor

3-0  
Oliver NAGASE

Residence

New York, NY

Citizenship

Japan

Post Office Address

c/o Hitachi Telecom USA, Inc., 33F, Madison Avenue  
437, New York, NY 10022

Inventor's signature

*Oliver Nagase*

*NY*

Date

*SEP 25, 2000*

002.380834.1